

CAT6A Slim U/FTP Patch Cable

Technical Features

Bare Copper & PIMF

Ultra slim, only 3.8mm diameter


32/7AWG, 500MHz 10GE

Compliant with ISO/IEC 11801



Ultra soft and flexible TPE jacket

TPE Halogen Free & Fire Retardant VW-1

Technical Drawings



WIRING DIAGRAM




www.logilink.de



RoHS
compliant




Length	White	EAN Code
0.2 m	CQ9001S	4052792054019
0.3 m	CQ9011S	4052792053203
0.5 m	CQ9021S	4052792053210
1.00 m	CQ9031S	4052792053227
1.50 m	CQ9041S	4052792053234
2.00 m	CQ9051S	4052792053241
3.00 m	CQ9061S	4052792053258
5.00 m	CQ9071S	4052792053265




Length	Grey	EAN Code	Black	EAN Code
0.2 m	CQ9002S	4052792054026	CQ9003S	4052792054033
0.3 m	CQ9012S	4052792053296	CQ9013S	4052792053388
0.5 m	CQ9022S	4052792053302	CQ9023S	4052792053395
1.00 m	CQ9032S	4052792053319	CQ9033S	4052792053401
1.50 m	CQ9042S	4052792053326	CQ9043S	4052792053418
2.00 m	CQ9052S	4052792053333	CQ9053S	4052792053425
3.00 m	CQ9062S	4052792053340	CQ9063S	4052792053432
5.00 m	CQ9072S	4052792053357	CQ9073S	4052792053449

Length	Red	EAN Code
0.2 m	CQ9004S	4052792054040
0.3 m	CQ9014S	4052792053470
0.5 m	CQ9024S	4052792053487
1.00 m	CQ9034S	4052792053494
1.50 m	CQ9044S	4052792053500
2.00 m	CQ9054S	4052792053517
3.00 m	CQ9064S	4052792053524
5.00 m	CQ9074S	4052792053531



Length	Green	EAN Code	Blue	EAN Code
0.2 m	CQ9005S	4052792054057	CQ9006S	4052792054064
0.3 m	CQ9015S	4052792053562	CQ9016S	4052792053654
0.5 m	CQ9025S	4052792053579	CQ9026S	4052792053661
1.00 m	CQ9035S	4052792053586	CQ9036S	4052792053678
1.50 m	CQ9045S	4052792053593	CQ9046S	4052792053685
2.00 m	CQ9055S	4052792053609	CQ9056S	4052792053692
3.00 m	CQ9065S	4052792053616	CQ9066S	4052792053708
5.00 m	CQ9075S	4052792053623	CQ9076S	4052792053715

Length	Yellow	EAN Code
0.2 m	CQ9007S	4052792054071
0.3 m	CQ9017S	4052792053746
0.5 m	CQ9027S	4052792053753
1.00 m	CQ9037S	4052792053760
1.50 m	CQ9047S	4052792053777
2.00 m	CQ9057S	4052792053784
3.00 m	CQ9067S	4052792053791
5.00 m	CQ9077S	4052792053807



Length	Orange	EAN Code	Violet	EAN Code
0.2 m	CQ9008S	4052792054088	CQ9009S	4052792054095
0.3 m	CQ9018S	4052792053838	CQ9019S	4052792053920
0.5 m	CQ9028S	4052792053845	CQ9029S	4052792053937
1.00 m	CQ9038S	4052792053852	CQ9039S	4052792053944
1.50 m	CQ9048S	4052792053869	CQ9049S	4052792053951
2.00 m	CQ9058S	4052792053876	CQ9059S	4052792053968
3.00 m	CQ9068S	4052792053883	CQ9069S	4052792053975
5.00 m	CQ9078S	4052792053890	CQ9079S	4052792053982

Package Contents

CAT6A Slim U/FTP Patch Cable x 1

Packaging Information

Item No.	Length	Packing Dimension	Packing Weight	Carton Dimension	Carton Q'ty	Carton Weight
CQ9001S	0.2m	250 x 650 x 15mm	0.113kg	540 x 360 x 190mm	600pcs	7.2kg
CQ9011S	0.3m	360 x 650 x 15mm	0.126kg	540 x 360 x 190mm	500pcs	7kg
CQ9021S	0.5m	155 x 167 x 15mm	0.152kg	540 x 360 x 190mm	500pcs	8.4kg
CQ9031S	1.00m	155 x 167 x 15mm	0.213kg	540 x 360 x 190mm	300pcs	7.1kg
CQ9041S	1.50m	155 x 167 x 15mm	0.268kg	540 x 360 x 190mm	360pcs	10.3kg
CQ9051S	2.00m	155 x 167 x 15mm	0.323kg	540 x 360 x 190mm	225pcs	8.1kg
CQ9061S	3.00m	155 x 167 x 18mm	0.443kg	540 x 360 x 190mm	200pcs	9.7kg
CQ9071S	5.00m	155 x 167 x 22mm	0.663kg	540 x 360 x 190mm	150pcs	11.1kg
CQ9002S	0.2m	250 x 650 x 15mm	0.113kg	540 x 360 x 190mm	600pcs	7.2kg
CQ9012S	0.3m	360 x 650 x 15mm	0.126kg	540 x 360 x 190mm	500pcs	7.2kg
CQ9022S	0.5m	155 x 167 x 15mm	0.152kg	540 x 360 x 190mm	500pcs	8.7kg
CQ9032S	1.00m	155 x 167 x 15mm	0.213kg	540 x 360 x 190mm	300pcs	7.2kg
CQ9042S	1.50m	155 x 167 x 15mm	0.268kg	540 x 360 x 190mm	360pcs	10.7kg
CQ9052S	2.00m	155 x 167 x 15mm	0.323kg	540 x 360 x 190mm	225pcs	8.3kg
CQ9062S	3.00m	155 x 167 x 18mm	0.443kg	540 x 360 x 190mm	200pcs	9.3kg
CQ9072S	5.00m	155 x 167 x 22mm	0.663kg	540 x 360 x 190mm	150pcs	11kg
CQ9003S	0.2m	250 x 650 x 15mm	0.113kg	540 x 360 x 190mm	600pcs	7.1kg
CQ9013S	0.3m	360 x 650 x 15mm	0.126kg	540 x 360 x 190mm	500pcs	7kg
CQ9023S	0.5m	155 x 167 x 15mm	0.152kg	540 x 360 x 190mm	500pcs	8.5kg
CQ9033S	1.00m	155 x 167 x 15mm	0.213kg	540 x 360 x 190mm	300pcs	7.1kg
CQ9043S	1.50m	155 x 167 x 15mm	0.268kg	540 x 360 x 190mm	360pcs	10.6kg
CQ9053S	2.00m	155 x 167 x 15mm	0.323kg	540 x 360 x 190mm	225pcs	8.2kg
CQ9063S	3.00m	155 x 167 x 18mm	0.443kg	540 x 360 x 190mm	200pcs	9.7kg
CQ9073S	5.00m	155 x 167 x 22mm	0.663kg	540 x 360 x 190mm	150pcs	10.8kg

www.logilink.de



RoHS
compliant





Packaging Information

Item No.	Length	Packing Dimension	Packing Weight	Carton Dimension	Carton Q'ty	Carton Weight
CQ9004S	0.2m	250 x 650 x 15mm	0.113kg	540 x 360 x 190mm	600pcs	7.4kg
CQ9014S	0.3m	360 x 650 x 15mm	0.126kg	540 x 360 x 190mm	500pcs	7.1kg
CQ9024S	0.5m	155 x 167 x 15mm	0.152kg	540 x 360 x 190mm	500pcs	8.7kg
CQ9034S	1.00m	155 x 167 x 15mm	0.213kg	540 x 360 x 190mm	300pcs	7.3kg
CQ9044S	1.50m	155 x 167 x 15mm	0.268kg	540 x 360 x 190mm	360pcs	10.8kg
CQ9054S	2.00m	155 x 167 x 15mm	0.323kg	540 x 360 x 190mm	225pcs	8.4kg
CQ9064S	3.00m	155 x 167 x 18mm	0.443kg	540 x 360 x 190mm	200pcs	10kg
CQ9074S	5.00m	155 x 167 x 22mm	0.663kg	540 x 360 x 190mm	150pcs	11.1kg
CQ9005S	0.2m	250 x 650 x 15mm	0.113kg	540 x 360 x 190mm	600pcs	7.4kg
CQ9015S	0.3m	360 x 650 x 15mm	0.126kg	540 x 360 x 190mm	500pcs	7.1kg
CQ9025S	0.5m	155 x 167 x 15mm	0.152kg	540 x 360 x 190mm	500pcs	8.6kg
CQ9035S	1.00m	155 x 167 x 15mm	0.213kg	540 x 360 x 190mm	300pcs	7.2kg
CQ9045S	1.50m	155 x 167 x 15mm	0.268kg	540 x 360 x 190mm	360pcs	10.6kg
CQ9055S	2.00m	155 x 167 x 15mm	0.323kg	540 x 360 x 190mm	225pcs	8.3kg
CQ9065S	3.00m	155 x 167 x 18mm	0.443kg	540 x 360 x 190mm	200pcs	9.7kg
CQ9075S	5.00m	155 x 167 x 22mm	0.663kg	540 x 360 x 190mm	150pcs	11.2kg
CQ9006S	0.2m	250 x 650 x 15mm	0.113kg	540 x 360 x 190mm	600pcs	7.2kg
CQ9016S	0.3m	360 x 650 x 15mm	0.126kg	540 x 360 x 190mm	500pcs	7kg
CQ9026S	0.5m	155 x 167 x 15mm	0.152kg	540 x 360 x 190mm	500pcs	8.7kg
CQ9036S	1.00m	155 x 167 x 15mm	0.213kg	540 x 360 x 190mm	300pcs	7.2kg
CQ9046S	1.50m	155 x 167 x 15mm	0.268kg	540 x 360 x 190mm	360pcs	10.6kg
CQ9056S	2.00m	155 x 167 x 15mm	0.323kg	540 x 360 x 190mm	225pcs	8.3kg
CQ9066S	3.00m	155 x 167 x 18mm	0.443kg	540 x 360 x 190mm	200pcs	9.7kg
CQ9076S	5.00m	155 x 167 x 22mm	0.663kg	540 x 360 x 190mm	150pcs	11.1kg

Packaging Information

Item No.	Length	Packing Dimension	Packing Weight	Carton Dimension	Carton Q'ty	Carton Weight
CQ9007S	0.2m	250 x 650 x 15mm	0.113kg	540 x 360 x 190mm	600pcs	7.3kg
CQ9017S	0.3m	360 x 650 x 15mm	0.126kg	540 x 360 x 190mm	500pcs	7.1kg
CQ9027S	0.5m	155 x 167 x 15mm	0.152kg	540 x 360 x 190mm	500pcs	8.5kg
CQ9037S	1.00m	155 x 167 x 15mm	0.213kg	540 x 360 x 190mm	300pcs	7.1kg
CQ9047S	1.50m	155 x 167 x 15mm	0.268kg	540 x 360 x 190mm	360pcs	10.6kg
CQ9057S	2.00m	155 x 167 x 15mm	0.323kg	540 x 360 x 190mm	225pcs	8.2kg
CQ9067S	3.00m	155 x 167 x 18mm	0.443kg	540 x 360 x 190mm	200pcs	9.8kg
CQ9077S	5.00m	155 x 167 x 22mm	0.663kg	540 x 360 x 190mm	150pcs	11.1kg
CQ9008S	0.2m	250 x 650 x 15mm	0.113kg	540 x 360 x 190mm	600pcs	7.8kg
CQ9018S	0.3m	360 x 650 x 15mm	0.126kg	540 x 360 x 190mm	500pcs	7.1kg
CQ9028S	0.5m	155 x 167 x 15mm	0.152kg	540 x 360 x 190mm	500pcs	8.4kg
CQ9038S	1.00m	155 x 167 x 15mm	0.213kg	540 x 360 x 190mm	300pcs	7.2kg
CQ9048S	1.50m	155 x 167 x 15mm	0.268kg	540 x 360 x 190mm	360pcs	10.6kg
CQ9058S	2.00m	155 x 167 x 15mm	0.323kg	540 x 360 x 190mm	225pcs	8.3kg
CQ9068S	3.00m	155 x 167 x 18mm	0.443kg	540 x 360 x 190mm	200pcs	9.7kg
CQ9078S	5.00m	155 x 167 x 22mm	0.663kg	540 x 360 x 190mm	150pcs	10.9kg
CQ9009S	0.2m	250 x 650 x 15mm	0.113kg	540 x 360 x 190mm	600pcs	7.2kg
CQ9019S	0.3m	360 x 650 x 15mm	0.126kg	540 x 360 x 190mm	500pcs	7kg
CQ9029S	0.5m	155 x 167 x 15mm	0.152kg	540 x 360 x 190mm	500pcs	8.6kg
CQ9039S	1.00m	155 x 167 x 15mm	0.213kg	540 x 360 x 190mm	300pcs	7.2kg
CQ9049S	1.50m	155 x 167 x 15mm	0.268kg	540 x 360 x 190mm	360pcs	10.9kg
CQ9059S	2.00m	155 x 167 x 15mm	0.323kg	540 x 360 x 190mm	225pcs	8.3kg
CQ9069S	3.00m	155 x 167 x 18mm	0.443kg	540 x 360 x 190mm	200pcs	9.7kg
CQ9079S	5.00m	155 x 167 x 22mm	0.663kg	540 x 360 x 190mm	150pcs	11kg



www.logilink.de



RoHS
compliant



Made in China

* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered trademark of their respective owners.